



**TABLE OF CONTENTS**


ESFR	}	VK520 / VK500, 14.0 (202) K factor, ESFR, upright / pendent ..... D-1
		VK503, 16.8 (242) K factor, ESFR, pendent..... D-1
		VK510, 25.2 (363) K factor, ESFR, pendent..... D-1
		VK501, 14.0 (202) K factor, ESFR, <u>DRY BARREL</u> , pendent ..... D-1
Control Mode Specific Application	}	VK540, 11.2 (161) K factor, large drop ELO, upright ..... D-2
		VK592, 19.6 (283) K factor, control mode specific application, pendent ..... D-2
Control Mode Density/Area	}	VK580, 16.8 (242) K factor, density/area, upright..... D-3
		VK530 / VK531, 11.2 (161) K factor, special application, ELO, upright ..... D-3
		VK536 / VK377, 11.2 (161) K factor, special application, ELO, upright / pendent ..... D-4
		VK533, 11.2 (161) K factor, fusible link, special application, ELO, upright ..... D-4
Intermediate Level	}	5.6 (81) / 8.0 (115) K factor, upright, (w/ shield), standard response (bulb/link)..... D-5
		5.6 (81) / 8.0 (115) K factor, upright, (w/ shield), quick response (bulb/link)..... D-5
		5.6 (81) / 8.0 (115) K factor, upright / pendent, (w/ guard), std response (bulb/link) .. D-6
		5.6 (81) / 8.0 (115) K factor, upright / pendent, (w/ guard), quick resp. (bulb/link) .... D-7


**Notes**


1. All sprinklers in this section are available with three wraps of Teflon® tape. Add \$1.40 to list price for each sprinkler ordered. When ordering, add a "T" to end of part number.
2. Water shields and guards are also available separately. See page H-3.
3. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting [www.vikinggroupinc.com](http://www.vikinggroupinc.com).
4. List prices effective May 3, 2010. Supersedes September 2008 list price book.
5. All sales by Viking are subject to the terms & conditions found on the last page of this book.

*Teflon® is a registered trademark of DuPont*  
*High Challenge® is a registered trademark of The Viking Corporation*  
*Micromatic® is a registered trademark of The Viking Corporation*  
*Microfast® is a registered trademark of The Viking Corporation*

	<b>ESFR Storage Fusible Link Upright</b>			
	<u>SIN:</u>	VK520		
	<u>K Factor:</u>	14.0 (202)		
	<u>Thread Size:</u>	3/4 inch NPT		
	<u>Base Part #:</u>	10625		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	165°F	10625AC	V24.1	\$92.85
Standard Brass	205°F	10625AE	V24.1	\$92.85
Spk Wrench Upright ESFR	05118CW/B	V20		\$104.11


	<b>ESFR Storage Fusible Link Pendant</b>			
	<u>SIN:</u>	VK500		
	<u>K Factor:</u>	14.0 (202)		
	<u>Thread Size:</u>	3/4 inch NPT		
	<u>Base Part #:</u>	10284		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	165°F	10284AC	V24	\$61.88
Standard Brass	205°F	10284AE	V24	\$61.88
Spk Wrench 14K ESFR	13635W/B	V20		\$90.07

	<b>ESFR Storage Fusible Link Pendant</b>			
	<u>SIN:</u>	VK503		
	<u>K Factor:</u>	16.8 (242)		
	<u>Thread Size:</u>	3/4 inch NPT		
	<u>Base Part #:</u>	14073		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	165°F	14073AC	V24.4	\$90.26
Standard Brass	205°F	14073AE	V24.4	\$90.26
Spk Wrench Pndnt ESFR	13635W/B	V20		\$90.07


	<b>ESFR Storage Fusible Link Pendant</b>			
	<u>SIN:</u>	VK510		
	<u>K Factor:</u>	25.2 (363)		
	<u>Thread Size:</u>	1 inch NPT		
	<u>Base Part #:</u>	12080		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	165°F	12080AC	V24.2	\$83.50
Standard Brass	205°F	12080AE	V24.2	\$83.50
Spk Wrench 25.2K ESFR	13635W/B	V20		\$90.07


	<b>ESFR - Dry Sprinkler<sup>1,2</sup></b>			
	<b>Storage Fusible Link</b>			
<b>DRY SPRINKLER</b>				
<b>Pendant</b>				
<u>SIN:</u>	VK501			
<u>K Factor:</u>	14.0 (202)			
<u>Connection:</u>				
<i>Grooved</i>	2 inch grooved			
<i>Threaded</i>	1-1/2 inch NPT			
<u>Base Part #:</u>				
<i>Grooved</i>	14909			
<i>Threaded</i>	14910			
<b>Connection</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Grooved	165°F	14909AC	V19.1	\$956.42
Threaded	165°F	14910AC	V19.1	\$975.24

(1) VK501 can only be installed in wet systems  
 (2) Includes two dry sprinkler insulation boots (p/n 13863)

	<b>Control Mode Specific App.                  Standard Response                  Fusible Link                  Pendant</b>			
	SIN: VK592 K Factor: 19.6 (283) Thread Size: 1 inch NPT Base Part #: 14243A			
Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	14243AC	V24.3	\$103.67
Standard Brass	205°F	14243AE	V24.3	\$103.67
Spk Wrench		13635W/B	V20	\$90.07

	<b>High Challenge®                  Large Drop                  ELO                  Glass Bulb                  Upright</b>			
	SIN: VK540 K Factor: 11.2 (161) Thread Size: 3/4 inch NPT Base Part #: 13167			
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13167AB	V20	\$59.38
Standard Brass	200°F	13167AE	V20	\$59.38
Standard Brass	286°F	13167AG	V20	\$59.38
Wrench High Challenge		05118CW/B	V20	\$104.11


FOR REPLACEMENT ONLY				
	<b>High Challenge®                  Large Drop                  ELO                  Glass Bulb                  Upright</b>			
	SIN: VK540 K Factor: 11.2 (161) Thread Size: 1/2 inch NPT Base Part #: 13166			
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13166AB	V20	\$59.38
Standard Brass	200°F	13166AE	V20	\$59.38
Standard Brass	286°F	13166AG	V20	\$59.38
Wrench High Challenge		05118CW/B	V20	\$104.11

	<b>Control Mode</b>			
	<b>Standard Response</b>			
	<b>Density Area</b>			
	<b>Glass Bulb</b>			
	<b>Upright</b>			
<u>SIN:</u>		VK580		
<u>K Factor:</u>		16.8 (242)		
<u>Thread Size:</u>		3/4 inch NPT		
<u>Base Part #:</u>		12739		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	12739AB	V24.3	\$69.20
Standard Brass	175°F	12739AD	V24.3	\$69.20
Standard Brass	200°F	12739AE	V24.3	\$69.20
Standard Brass	286°F	12739AG	V24.3	\$69.20
Spk Wrench for 16.8K		07297W/B	V20	\$74.83


	<b>Model-M ELO</b>			
	<b>Standard Response</b>			
	<b>Special Application</b>			
	<b>Glass Bulb</b>			
	<b>Upright</b>			
<u>SIN:</u>		VK530		
<u>K Factor:</u>		11.2 (161)		
<u>Thread Size:</u>		3/4 inch NPT		
<u>Base Part #:</u>		09679		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	09679AB	V18.2	\$38.99
Standard Brass	175°F	09679AD	V18.2	\$38.99
Standard Brass	200°F	09679AE	V18.2	\$38.99
Standard Brass	286°F	09679AG	V18.2	\$38.99
Chrome	155°F	09679FB	V18	\$42.96
Chrome	175°F	09679FD	V18	\$42.96
Chrome	200°F	09679FE	V18	\$42.96
Chrome	286°F	09679FG	V18	\$42.96
White-Polyester <sup>1</sup>	155°F	09679MB/W	V18	\$42.96
White-Polyester	175°F	09679MD/W	V18	\$42.96
White-Polyester	200°F	09679ME/W	V18	\$42.96
White-Polyester	286°F	09679MG/W	V18	\$42.96
Black Teflon <sup>1,2</sup>	155°F	09679NB	V18	\$55.04
Black Teflon	175°F	09679ND	V18	\$55.04
Black Teflon	200°F	09679NE	V18	\$55.04
Black Teflon	286°F	09679NG	V18	\$55.04
Black Teflon	OPEN	09679NZ	V18	\$59.32
Wax Coated <sup>3</sup>	155°F	09679CB	V18	\$48.28
Wax Coated	175°F	09679CD	V18	\$48.28
Wax Coated	200°F	09679CE	V18	\$48.28
Wax Coated	286°F	09679CG	V18	\$48.28
Spk Wrench Upright ELO		05118CW/B	V20	\$104.11

	<b>Model-M ELO</b>			
	<b>Quick Response</b>			
	<b>Special Application</b>			
	<b>Glass Bulb</b>			
	<b>Upright</b>			
<u>SIN:</u>		VK531		
<u>K Factor:</u>		11.2 (161)		
<u>Thread Size:</u>		3/4 inch NPT		
<u>Base Part #:</u>		10633		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	10633AB	V18.2	\$55.04
Standard Brass	175°F	10633AD	V18.2	\$55.04
Standard Brass	200°F	10633AE	V18.2	\$55.04
Standard Brass	286°F	10633AG	V18.2	\$55.04
Chrome	155°F	10633FB	V18	\$59.10
Chrome	175°F	10633FD	V18	\$59.10
Chrome	200°F	10633FE	V18	\$59.10
Chrome	286°F	10633FG	V18	\$59.10
White-Polyester <sup>1</sup>	155°F	10633MB/W	V18	\$59.10
White-Polyester	175°F	10633MD/W	V18	\$59.10
White-Polyester	200°F	10633ME/W	V18	\$59.10
White-Polyester	286°F	10633MG/W	V18	\$59.10
Black Teflon <sup>1,2</sup>	155°F	10633NB	V18	\$71.15
Black Teflon	175°F	10633ND	V18	\$71.15
Black Teflon	200°F	10633NE	V18	\$71.15
Black Teflon	286°F	10633NG	V18	\$71.15
Black Teflon	OPEN	10633NZ	V18	\$73.00
Wax Coated <sup>3</sup>	155°F	10633CB	V18	\$64.33
Wax Coated	175°F	10633CD	V18	\$64.33
Wax Coated	200°F	10633CE	V18	\$64.33
Wax Coated	286°F	10633CG	V18	\$64.33
Spk Wrench Upright ELO		05118CW/B	V20	\$104.11

(1) Polyester and Teflon® sprinklers are suitable for decorative applications and are UL listed for corrosion resistance.  
 (2) Teflon® sprinklers are also available with coated waterways without glass bulbs.  
 (3) Brass is the standard finish for wax coated sprinklers.


	<b>Model-M ELO</b>			
	<b>Standard Response</b>			
	<b>Special Application</b>			
	<b>Glass Bulb</b>			
	<b>Pendent</b>			
	<b>SIN:</b>	VK536		
<b>K Factor:</b>	11.2 (161)			
<b>Thread Size:</b>	3/4 inch NPT			
<b>Base Part #:</b>	07961			

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	07961AB	V18	\$38.99
Standard Brass	175°F	07961AD	V18	\$38.99
Standard Brass	200°F	07961AE	V18	\$38.99
Standard Brass	286°F	07961AG	V18	\$38.99
Chrome	155°F	07961FB	V18	\$42.96
Chrome	175°F	07961FD	V18	\$42.96
Chrome	200°F	07961FE	V18	\$42.96
Chrome	286°F	07961FG	V18	\$42.96
White-Polyester <sup>1</sup>	155°F	07961MB/W	V18	\$42.96
White-Polyester	175°F	07961MD/W	V18	\$42.96
White-Polyester	200°F	07961ME/W	V18	\$42.96
White-Polyester	286°F	07961MG/W	V18	\$42.96
<b>Spk Wrench Pendent ELO</b>	<b>05118CW/B</b>	<b>V20</b>	<b>\$104.11</b>	

	<b>Model-M ELO</b>			
	<b>Quick Response</b>			
	<b>Special Application</b>			
	<b>Glass Bulb</b>			
	<b>Pendent</b>			
	<b>SIN:</b>	VK377		
<b>K Factor:</b>	11.2 (161)			
<b>Thread Size:</b>	3/4 inch NPT			
<b>Base Part #:</b>	08337			

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	08337AB	V18	\$55.04
Standard Brass	175°F	08337AD	V18	\$55.04
Standard Brass	200°F	08337AE	V18	\$55.04
Standard Brass	286°F	08337AG	V18	\$55.04
Chrome	155°F	08337FB	V18	\$59.10
Chrome	175°F	08337FD	V18	\$59.10
Chrome	200°F	08337FE	V18	\$59.10
Chrome	286°F	08337FG	V18	\$59.10
White-Polyester <sup>1</sup>	155°F	08337MB/W	V18	\$59.10
White-Polyester	175°F	08337MD/W	V18	\$59.10
White-Polyester	200°F	08337ME/W	V18	\$59.10
White-Polyester	286°F	08337MG/W	V18	\$59.10
<b>Spk Wrench Pendent ELO</b>	<b>05118CW/B</b>	<b>V20</b>	<b>\$104.11</b>	


\* NOTE - VK536 and VK377 are also available in Black-Polyester and Black Teflon® finishes. VK536 is also available wax coated.  
Contact Customer Service for details.

	<b>Model-M ELO</b>			
	<b>Quick Response</b>			
	<b>Special Application</b>			
	<b>FUSIBLE LINK</b>			
	<b>Upright</b>			
	<b>SIN:</b>	VK533		
<b>K Factor:</b>	11.2 (161)			
<b>Thread Size:</b>	3/4 inch NPT			
<b>Base Part #:</b>	13978			


Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	13978AC	V18.2	\$64.97
Standard Brass	205°F	13978AE	V18.2	\$64.97
Standard Brass	280°F	13978AG	V18.2	\$64.97
Chrome	165°F	13978FC	V18	\$64.97
Chrome	205°F	13978FE	V18	\$64.97
Chrome	280°F	13978FG	V18	\$64.97
White-Polyester <sup>1</sup>	165°F	13978MC/W	V18	\$64.97
White-Polyester	205°F	13978ME/W	V18	\$64.97
White-Polyester	280°F	13978MG/W	V18	\$64.97
<b>Spk Wrench Upright ELO</b>	<b>05118CW/B</b>	<b>V20</b>	<b>\$104.11</b>	

\* NOTE - VK533 also available in Black-Polyester and Black Teflon® finishes. Contact Customer Service for details.

(1) Polyester and Teflon® sprinklers are suitable for decorative applications and are UL listed for corrosion resistance.


	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
	<b>Preassembled w/ Shield</b>			
	<b>Standard Response</b>			
	<b>Glass Bulb Upright</b>			
<b>SIN:</b>		VK550		
<b>K Factor:</b>		5.6 (81)		
<b>Thread Size:</b>		1/2 inch NPT		
<b>Base Part #:</b>		10138--U		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	10138ABU	V20.1	\$19.00
Standard Brass	175°F	10138ADU	V20.1	\$19.00
Standard Brass	200°F	10138AEU	V20.1	\$19.00
Standard Brass	212°F	10138AMU	V20.1	\$19.00
Standard Brass	286°F	10138AGU	V20.1	\$19.00
Standard Brass	360°F	10138AHU	V20.1	\$20.96

<b>FUSIBLE LINK - VK552 - 5.6 (81) K Factor - SR Upright</b>				
Standard Brass	165°F	05557ACU	V20.1	\$25.97
Standard Brass	220°F	05557AFU	V20.1	\$25.97
Standard Brass	286°F	05557AGU	V20.1	\$25.97
Std Sprinkler Wrench		10896W/B	V20	\$49.85

	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
	<b>Preassembled w/ Shield</b>			
	<b>Standard Response</b>			
	<b>Glass Bulb Upright</b>			
<b>SIN:</b>		VK560		
<b>K Factor:</b>		8.0 (115)		
<b>Thread Size:</b>		3/4 inch NPT		
<b>Base Part #:</b>		10141--U		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	10141ABU	V20.1	\$21.81
Standard Brass	175°F	10141ADU	V20.1	\$21.81
Standard Brass	200°F	10141AEU	V20.1	\$21.81
Standard Brass	212°F	10141AMU	V20.1	\$21.81
Standard Brass	286°F	10141AGU	V20.1	\$21.81
Standard Brass	360°F	10141AHU	V20.1	\$23.75


<b>1/2 inch NPT (10220) - REPLACEMENT ONLY</b>				
Standard Brass	155°F	10220ABU	V20.1	\$22.86
Standard Brass	175°F	10220ADU	V20.1	\$22.86
Standard Brass	200°F	10220AEU	V20.1	\$22.86
Standard Brass	212°F	10220AMU	V20.1	\$22.86
Standard Brass	286°F	10220AGU	V20.1	\$22.86
Standard Brass	360°F	10220AHU	V20.1	\$24.81

<b>FUSIBLE LINK - VK562 - 8.0 (110) K Factor - SR Upright</b>				
Standard Brass	165°F	05514ACU	V20.1	\$27.70
Standard Brass	220°F	05514AFU	V20.1	\$27.70
Standard Brass	286°F	05514AGU	V20.1	\$27.70
Std Sprinkler Wrench		10896W/B	V20	\$49.85


	<b>Microfast® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
	<b>Preassembled w/ Shield</b>			
	<b>Quick Response</b>			
	<b>Glass Bulb Upright</b>			
<b>SIN:</b>		VK556		
<b>K Factor:</b>		5.6 (81)		
<b>Thread Size:</b>		1/2 inch NPT		
<b>Base Part #:</b>		06661B--U		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06661BABU	V20.1	\$29.10
Standard Brass	175°F	06661BADU	V20.1	\$29.10
Standard Brass	200°F	06661BAEU	V20.1	\$29.10
Standard Brass	286°F	06661BAGU	V20.1	\$29.10


<b>HIGH PRESSURE (VK558 - p/n 12281--U)</b>				
Standard Brass	155°F	12281ABU	V20.1	\$30.19
Standard Brass	175°F	12281ADU	V20.1	\$30.19
Standard Brass	200°F	12281AEU	V20.1	\$30.19
Standard Brass	286°F	12281AGU	V20.1	\$30.19


<b>FUSIBLE LINK - VK551 - 5.6 (81) K Factor - QR Upright</b>				
Standard Brass	165°F	12279ACU	V20.1	\$38.15
Standard Brass	205°F	12279AEU	V20.1	\$38.15
Standard Brass	280°F	12279AGU	V20.1	\$38.15
Std Sprinkler Wrench		10896W/B	V20	\$49.85


	<b>Microfast® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
	<b>Preassembled w/ Shield</b>			
	<b>Quick Response</b>			
	<b>Glass Bulb Upright</b>			
<b>SIN:</b>		VK566		
<b>K Factor:</b>		8.0 (115)		
<b>Thread Size:</b>		3/4 inch NPT		
<b>Base Part #:</b>		06665B--U		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06665BABU	V20.1	\$32.33
Standard Brass	175°F	06665BADU	V20.1	\$32.33
Standard Brass	200°F	06665BAEU	V20.1	\$32.33
Standard Brass	286°F	06665BAGU	V20.1	\$32.33

<b>FUSIBLE LINK - VK567 - 8.0 (110) K Factor - QR Upright</b>				
Standard Brass	165°F	13976ACU	V20.1	\$36.67
Standard Brass	205°F	13976AEU	V20.1	\$36.67
Standard Brass	280°F	13976AGU	V20.1	\$36.67
Std Sprinkler Wrench		10896W/B	V20	\$49.85





	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
<b>Preassembled w/ Guard</b>				
<b>Standard Response</b>				
<b>Glass Bulb</b>				
<b>Upright</b>				
<b>SIN:</b>		VK100		
<b>K Factor:</b>		5.6 (81)		
<b>Thread Size:</b>		1/2 inch NPT		
<b>Base Part #:</b>		10138--G		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	155°F	10138ABG	V20.1	\$22.30
Standard Brass	175°F	10138ADG	V20.1	\$22.30
Standard Brass	200°F	10138AEG	V20.1	\$22.30
Standard Brass	212°F	10138AMG	V20.1	\$22.30
Standard Brass	286°F	10138AGG	V20.1	\$22.30
Standard Brass	360°F	10138AHG	V20.1	POA
<b>FUSIBLE LINK - VK108 - 5.6 (81) K Factor - SR Upright</b>				
Standard Brass	165°F	05557ACG	V20.1	\$27.16
Standard Brass	220°F	05557AFG	V20.1	\$27.16
Standard Brass	286°F	05557AGG	V20.1	\$27.16
Std Sprinkler Wrench		10896W/B	V20	\$49.85

	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
<b>Preassembled w/ Guard</b>				
<b>Standard Response</b>				
<b>Glass Bulb</b>				
<b>Pendent</b>				
<b>SIN:</b>		VK102		
<b>K Factor:</b>		5.6 (81)		
<b>Thread Size:</b>		1/2 inch NPT		
<b>Base Part #:</b>		10139--G		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	155°F	10139ABG	V20.1	\$22.76
Standard Brass	175°F	10139ADG	V20.1	\$22.76
Standard Brass	200°F	10139AEG	V20.1	\$22.76
Standard Brass	212°F	10139AMG	V20.1	\$22.76
Standard Brass	286°F	10139AGG	V20.1	\$22.76
Standard Brass	360°F	10139AHG	V20.1	POA
<b>FUSIBLE LINK - VK110 - 5.6 (81) K Factor - SR Pendent</b>				
Standard Brass	165°F	05508ACG	V20.1	\$27.16
Standard Brass	220°F	05508AFG	V20.1	\$27.16
Standard Brass	286°F	05508AGG	V20.1	\$27.16
Std Sprinkler Wrench		10896W/B	V20	\$49.85

	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
<b>Preassembled w/ Guard</b>				
<b>Standard Response</b>				
<b>Glass Bulb</b>				
<b>Upright</b>				
<b>SIN:</b>		VK200		
<b>K Factor:</b>		8.0 (115)		
<b>Thread Size:</b>		3/4 inch NPT		
<b>Base Part #:</b>		10141--G		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	155°F	10141ABG	V20.1	\$25.02
Standard Brass	175°F	10141ADG	V20.1	\$25.02
Standard Brass	200°F	10141AEG	V20.1	\$25.02
Standard Brass	212°F	10141AMG	V20.1	\$25.02
Standard Brass	286°F	10141AGG	V20.1	\$25.02
Standard Brass	360°F	10141AHG	V20.1	POA
<b>FUSIBLE LINK - VK204 - 8.0 (115) K Factor - SR Upright</b>				
Standard Brass	165°F	05514ACG	V20.1	\$27.21
Standard Brass	220°F	05514AFG	V20.1	\$27.21
Standard Brass	286°F	05514AGG	V20.1	\$27.21
Std Sprinkler Wrench		10896W/B	V20	\$49.85


	<b>Micromatic® Model M</b>			
	<b>Intermediate Level / In-Rack</b>			
<b>Preassembled w/ Guard</b>				
<b>Standard Response</b>				
<b>Glass Bulb</b>				
<b>Pendent</b>				
<b>SIN:</b>		VK202		
<b>K Factor:</b>		8.0 (115)		
<b>Thread Size:</b>		3/4 inch NPT		
<b>Base Part #:</b>		10142--G		
<b>Finish</b>	<b>Temp</b>	<b>Part #</b>	<b>IPG</b>	<b>List Price</b>
Standard Brass	155°F	10142ABG	V20.1	\$29.87
Standard Brass	175°F	10142ADG	V20.1	\$29.87
Standard Brass	200°F	10142AEG	V20.1	\$29.87
Standard Brass	212°F	10142AMG	V20.1	\$29.87
Standard Brass	286°F	10142AGG	V20.1	\$29.87
Standard Brass	360°F	10142AHG	V20.1	POA
<b>FUSIBLE LINK - VK206 - 8.0 (115) K Factor - SR Pendent</b>				
Standard Brass	165°F	05516ACG	V20.1	\$28.50
Standard Brass	220°F	05516AFG	V20.1	\$28.50
Standard Brass	286°F	05516AGG	V20.1	\$28.50
Std Sprinkler Wrench		10896W/B	V20	\$49.85

**For intermediate level sprinklers preassembled with guard, the Model F-1 water shield may be ordered separately. Shield must be installed in field (not available preassembled)**

<b>optional water shields</b>	<b>field installed shield</b>	<b>field installed shield</b>	<b>Model E-1 UPRIGHT Water Shield</b>			
Model E-1 (upright)	upright	pendent	<b>Size</b>	<b>Part #</b>		
			V20.1	<b>IPG</b>		
Model F-1 (pendent)			1/2 "	10326	V20.1	<b>List Price</b>
			3/4 "	10326	V20.1	\$4.53
			<b>Model F-1 PENDENT Water Shield</b>			
			<b>Size</b>	<b>Part #</b>		
			V20.1	<b>IPG</b>		
			1/2 "	10323	V20.1	\$4.53
			3/4 "	10324	V20.1	\$4.53


NOTE - Sprinkler guards are also available separately (see page H-3).

\* also available in stainless steel (see page H-3)




**Microfast® Model M**  
**Intermediate Level / In-Rack**  
**Preassembled w/ Guard**  
**Quick Response**  
**Glass Bulb**  
**Upright**  
SIN: VK300  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 06661B--G

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06661BABG	V20.1	\$29.00
Standard Brass	175°F	06661BADG	V20.1	\$29.00
Standard Brass	200°F	06661BAEG	V20.1	\$29.00
Standard Brass	286°F	06661BAGG	V20.1	\$29.00
<b>HIGH PRESSURE (VK315 - p/n 12281--G)</b>				
Standard Brass	155°F	12281ABG	V20.1	\$30.16
Standard Brass	175°F	12281ADG	V20.1	\$30.16
Standard Brass	200°F	12281AEG	V20.1	\$30.16
Standard Brass	286°F	12281AGG	V20.1	\$30.16
<b>FUSIBLE LINK - VK204 - 5.6 (81) K Factor - QR Upright</b>				
Standard Brass	165°F	05514ACG	V20.1	\$27.21
Standard Brass	220°F	05514AFG	V20.1	\$27.21
Standard Brass	286°F	05514AGG	V20.1	\$27.21
Std Sprinkler Wrench		10896W/B	V20	\$49.85




**Microfast® Model M**  
**Intermediate Level / In-Rack**  
**Preassembled w/ Guard**  
**Quick Response**  
**Glass Bulb**  
**Pendent**  
SIN: VK302  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 06662B--G

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06662BABG	V20.1	\$30.77
Standard Brass	175°F	06662BADG	V20.1	\$30.77
Standard Brass	200°F	06662BAEG	V20.1	\$30.77
Standard Brass	286°F	06662BAGG	V20.1	\$30.77
<b>HIGH PRESSURE (VK317 - p/n 12282)</b>				
Standard Brass	155°F	12282ABG	V20.1	\$31.93
Standard Brass	175°F	12282ADG	V20.1	\$31.93
Standard Brass	200°F	12282AEG	V20.1	\$31.93
Standard Brass	286°F	12282AGG	V20.1	\$31.93
<b>FUSIBLE LINK - VK303 - 5.6 (81) K Factor - QR Pendent</b>				
Standard Brass	165°F	12275ACG	V20.1	\$35.93
Standard Brass	220°F	12275AFG	V20.1	\$35.93
Standard Brass	286°F	12275AGG	V20.1	\$35.93
Std Sprinkler Wrench		10896W/B	V20	\$49.85



**Microfast® Model M**  
**Intermediate Level / In-Rack**  
**Preassembled w/ Guard**  
**Quick Response**  
**Glass Bulb**  
**Upright**  
SIN: VK350  
K Factor: 8.0 (115)  
Thread Size: 3/4 inch NPT  
Base Part #: 06665B--G





Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06665BABG	V20.1	\$37.82
Standard Brass	175°F	06665BADG	V20.1	\$37.82
Standard Brass	200°F	06665BAEG	V20.1	\$37.82
Standard Brass	286°F	06665BAGG	V20.1	\$37.82
Std Sprinkler Wrench		10896W/B	V20	\$49.85



**Microfast® Model M**  
**Intermediate Level / In-Rack**  
**Preassembled w/ Guard**  
**Quick Response**  
**Glass Bulb**  
**Pendent**  
SIN: VK352  
K Factor: 8.0 (115)  
Thread Size: 3/4 inch NPT  
Base Part #: 06666B--G

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06666BABG	V20.1	\$36.21
Standard Brass	175°F	06666BADG	V20.1	\$36.21
Standard Brass	200°F	06666BAEG	V20.1	\$36.21
Standard Brass	286°F	06666BAGG	V20.1	\$36.21
Std Sprinkler Wrench		10896W/B	V20	\$49.85

**For intermediate level sprinklers preassembled with guard, the Model F-1 water shield may be ordered separately. Shield must be installed in field (not available preassembled)**

optional water shields	field installed shield	field installed shield	Model E-1 UPRIGHT Water Shield			
Model E-1 (upright)	upright	pendent	Size	Part #	IPG	List Price
			1/2 "	10326	V20.1	\$4.53
Model F-1 (pendent)			3/4"	10326	V20.1	\$4.53
	<b>Model F-1 PENDENT Water Shield</b>					
			Size	Part #	IPG	List Price
			1/2 "	10323	V20.1	\$4.53
			3/4"	10324	V20.1	\$4.53

NOTE - Sprinkler guards are also available separately (see page H-3).

\* also available in stainless steel (see page H-3)