



Section J
Flexible Sprinkler Connections


TABLE OF CONTENTS

Braided - Model VKFD28B Flexible Sprinkler ConnectionsJ-1
Unbraided - Model VKFD25U Flexible Sprinkler ConnectionsJ-1

Braided - Model VKFD28B Flexible Sprinkler Connections (pre-assembled w/ sprinkler) J-2 – J-4
Unbraided - Model VKFD25U Flexible Sprinkler Connections (pre-assembled w/ sprinkler) J-5 – J-7

Notes

1. List prices effective May 3, 2010. Supersedes September 2008 list price book.
2. All sales by Viking are subject to the terms & conditions found on the last page of this book.



braided model pictured w/ Viking concealed spk

Each carton includes (10) complete assemblies with the following components:

- (10) Flexible hose assemblies, length 39-3/8" or 59".
- (10) Outlet fittings, 1/2" or 3/4" NPT, straight as specified.
- (10) Inlet fittings, 1" NPT as specified.
- (10) Sprinkler outlet brackets, fixed.
- (12) Rectangle nuts for sprinkler outlet bracket.
- (12) M6 x 5/8" (15 mm) long wing bolts (for sprinkler outlet bracket).
- (20) Short rail bracket packages, including bracket, clips, and supports.
- (20) Long rail bracket packages, including bracket, clips, and supports.
- (25) M6 x 3/4" (20 mm) long wing bolts (for rail brackets).
- (10) 5/8" (16 mm) square x 25-9/16" (650 mm) long support bars.

Braided - Model VKFD28 Flexible Sprinkler Connections

Part #	Hose Type	Hose Length ¹	Inlet	Outlet	IPG	List Price	Box Qty
14350-10	Braided (25 mm)	39-3/8"	1" NPT	1/2" NPT (straight)	SR306	\$64.97	10
14351-10	Braided (25 mm)	39-3/8"	1" NPT	3/4" NPT (straight)	SR306	\$64.97	10
14350-15	Braided (25 mm)	59"	1" NPT	1/2" NPT (straight)	SR306	\$72.83	10
14351-15	Braided (25 mm)	59"	1" NPT	3/4" NPT (straight)	SR306	\$72.83	10

Unbraided - Model VKFD25U Flexible Sprinkler Connections

Part #	Hose Type	Hose Length ¹	Inlet	Outlet	IPG	List Price	Box Qty
16038-10	Unbraided (25 mm)	39-3/8"	1" NPT	1/2" NPT (straight)	SR306	\$39.14	10
16038-15	Unbraided (25 mm)	59"	1" NPT	1/2" NPT (straight)	SR306	\$42.40	10


- (1) Additional lengths available as special order. Contact customer service for price and availability.
 - (2) Straight outlet fitting is standard.
- For braided product ONLY, 90 degree angle outlet fitting may be ordered separately (see below).

Optional Accessories and Replacement Components

Unbraided (Model VKFD25U)			Braided (Model VKFD28)		
Description	Part #	List Price	Description	Part #	List Price
Optional 4" bend radius gauge tool	15450	\$5.30	1/2" NPT - 90° angle fitting (10/pkg)	14384	\$12.02
Optional 4" fixed radius clip	14403	\$3.93	3/4" NPT - 90° angle fitting (10/pkg)	14385	\$12.02
1/2" straight outlet fitting (10/box)	16042	\$1.02	1/2" straight outlet fitting (10/box)	14382	\$10.94
3/4" straight outlet fitting (10/box)	16137	\$1.02	3/4" straight outlet fitting (10/box)	14383	\$10.94
25-9/16" long support bar (10/box)	14397	\$1.68	25-9/16" long support bar (10/pkg)	14397	\$1.68
49-3/16" long support bar (10/box)	14398	\$3.15	49-3/16" long support bar (10/pkg)	14398	\$3.15
Short rail bracket kit (20/box)	14387	\$0.96	Short rail bracket kit (20/box)	14387	\$0.96
Short rail clip kit (20/box)	14388	\$0.62	Short rail clip kit (20/box)	14388	\$0.62
Short rail clip support (20/box)	14409	\$0.62	Short rail clip support (20/box)	14409	\$0.62
Long rail bracket kit (20/box)	14389	\$1.20	Long rail bracket kit (20/box)	14389	\$1.20
Long rail clip kit (20/box)	14390	\$0.92	Long rail clip kit (20/box)	14390	\$0.92
Long rail clip support (20/pkg)	14408	\$2.02	Long rail clip support (20/pkg)	14408	\$2.02
Thumb screws M6 x 15 mm (12/kit)	14400	\$0.51	Wing screws M6 x 15 mm (12/kit)	14400	\$0.51
Thumb screws M6 x 20 mm (25/kit)	14401	\$0.58	Wing screws M6 x 20 mm (25/kit)	14401	\$0.58
EPDM seals (20/box)	16043	\$0.53	EPDM seals (20/box)	14386	\$3.35
Rectangle nut-outlet brkt (12/pkg)	14411	\$10.60	Rectangle nut-outlet brkt (12/pkg)	14411	\$1.06
Outlet reducer support brkt (10/pkg)	14391	\$0.72			
Inlet nipple (10/pkg)	16040	\$4.89			

Pre-Assembled Flexible Sprinkler Connection Packages (BRAIDED Model VKFD28B)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format				escutcheon codes				
07077FB/14351-10/1F	>>>	07077FB	/	14351-10	/	1F	type	finish
<u>complete part number</u>	↑	part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Braided (VKFD28B) Flexible Sprinkler Connection and VK302, 5.6 K factor, QR, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
06662BFB/14350-10/1F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$110.95
06662BFB/14350-10/2F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$110.95
06662BFB/14350-10/3F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$113.80
06662BFB/14350-15/1F	59" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$121.38
06662BFB/14350-15/2F	59" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$121.38
06662BFB/14350-15/3F	59" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$124.24
06662BMB/W/14350-10/1W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$110.95
06662BMB/W/14350-10/2W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$110.95
06662BMB/W/14350-10/3W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$113.80
06662BMB/W/14350-15/1W	59" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$121.38
06662BMB/W/14350-15/2W	59" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$121.38
06662BMB/W/14350-15/3W	59" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$124.24


Braided (VKFD28B) Flexible Sprinkler Connection and VK352, 8.0 K factor, QR, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
06666BFB/14351-10/1F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$115.45
06666BFB/14351-10/2F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$115.88
06666BFB/14351-10/3F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$118.75
06666BFB/14351-15/1F	59" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$125.29
06666BFB/14351-15/2F	59" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$125.72
06666BFB/14351-15/3F	59" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$128.59
06666BMB/W/14351-10/1W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$115.45
06666BMB/W/14351-10/2W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$115.88
06666BMB/W/14351-10/3W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$118.75
06666BMB/W/14351-15/1W	59" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$125.29
06666BMB/W/14351-15/2W	59" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$125.72
06666BMB/W/14351-15/3W	59" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$128.59

Braided (VKFD28B) Flexible Sprinkler Connection and VK329, 2.8 K factor, QR, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
06718BFB/14350-10/1F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$124.42
06718BFB/14350-10/2F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$124.42
06718BFB/14350-10/3F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$127.27
06718BFB/14350-15/1F	59" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$134.85
06718BFB/14350-15/2F	59" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$134.85
06718BFB/14350-15/3F	59" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$137.72
06718BMB/W/14350-10/1W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$124.42
06718BMB/W/14350-10/2W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$124.42
06718BMB/W/14350-10/3W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$127.27
06718BMB/W/14350-15/1W	59" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$134.85
06718BMB/W/14350-15/2W	59" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$134.85
06718BMB/W/14350-15/3W	59" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$137.72

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.

Pre-Assembled Flexible Sprinkler Connection Packages (BRAIDED Model VKFD28B)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format				escutcheon codes				
07077FB/14351-10/1F	>>>	07077FB	/	14351-10	/	1F	type	finish
<u>complete part number</u>		part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Braided (VKFD28B) Flexible Sprinkler Connection and VK331, 4.2 K factor, QR, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
06720BFB/14350-10/1F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$123.29
06720BFB/14350-10/2F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$123.29
06720BFB/14350-10/3F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$126.14
06720BFB/14350-15/1F	59" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$133.72
06720BFB/14350-15/2F	59" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$133.72
06720BFB/14350-15/3F	59" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$136.58
06720BMB/W/14350-10/1W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$123.29
06720BMB/W/14350-10/2W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$123.29
06720BMB/W/14350-10/3W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$126.14
06720BMB/W/14350-15/1W	59" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$133.72
06720BMB/W/14350-15/2W	59" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$133.72
06720BMB/W/14350-15/3W	59" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$136.58


Braided (VKFD28B) Flexible Sprinkler Connection and VK602, 8.0 K factor, Ext Coverage, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
07077FB/14351-10/1F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$116.76
07077FB/14351-10/2F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$117.20
07077FB/14351-10/3F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$120.25
07077FB/14351-15/1F	59" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$127.19
07077FB/14351-15/2F	59" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$127.65
07077FB/14351-15/3F	59" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$130.68
07077MB/W/14351-10/1W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$118.66
07077MB/W/14351-10/2W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$119.11
07077MB/W/14351-10/3W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$122.15
07077MB/W/14351-15/1W	59" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$129.10
07077MB/W/14351-15/2W	59" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$129.54
07077MB/W/14351-15/3W	59" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$132.58

Braided (VKFD28B) Flexible Sprinkler Connection and VK608, 11.2 K factor, Ext Coverage, Pendent								
Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
08339FB/14351-10/1F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$138.57
08339FB/14351-10/2F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$139.03
08339FB/14351-10/3F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$142.06
08339FB/14351-15/1F	59" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$149.00
08339FB/14351-15/2F	59" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$149.46
08339FB/14351-15/3F	59" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$152.50
08339MB/W/14351-10/1W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$138.57
08339MB/W/14351-10/2W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$139.03
08339MB/W/14351-10/3W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$142.06
08339MB/W/14351-15/1W	59" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$149.00
08339MB/W/14351-15/2W	59" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$149.46
08339MB/W/14351-15/3W	59" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$152.50

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.

Pre-Assembled Flexible Sprinkler Connection Packages (BRAIDED Model VKFD28B)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format					escutcheon codes			
07077FB/14351-10/1F	>>>	07077FB	/	14351-10	/	1F	type	finish
<u>complete part number</u>	↑	part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Braided (VKFD28B) Flexible Sprinkler Connection and VK534, 11.2 K factor, Ext Coverage, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
08340FB/14351-10/1F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$138.57
08340FB/14351-10/2F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$139.03
08340FB/14351-10/3F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$142.06
08340FB/14351-15/1F	59" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$149.00
08340FB/14351-15/2F	59" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$149.46
08340FB/14351-15/3F	59" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$152.50
08340MB/W/14351-10/1W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$138.57
08340MB/W/14351-10/2W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$139.03
08340MB/W/14351-10/3W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$142.06
08340MB/W/14351-15/1W	59" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$149.00
08340MB/W/14351-15/2W	59" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$149.46
08340MB/W/14351-15/3W	59" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$152.50

Braided (VKFD28B) Flexible Sprinkler Connection and VK572, 14.0 K factor, Ext Coverage, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
13722FB/14351-10/1F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$141.98
13722FB/14351-10/2F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$142.43
13722FB/14351-10/3F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$145.46
13722FB/14351-15/1F	59" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$152.41
13722FB/14351-15/2F	59" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$152.86
13722FB/14351-15/3F	59" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$155.90
13722MB/W/14351-10/1W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$141.98
13722MB/W/14351-10/2W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$142.43
13722MB/W/14351-10/3W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$145.46
13722MB/W/14351-15/1W	59" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$152.41
13722MB/W/14351-15/2W	59" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$152.86
13722MB/W/14351-15/3W	59" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$155.90

Braided (VKFD28B) and Mirage® Concealed Pendent Sprinklers (cover plates not included)

Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
13503AB/14350-10	39-3/8" (1/2" NPT)	VK462	5.6 K	155°F	Standard Brass	n/a	V25.1E	\$126.28
13503AB/14350-15	59" (1/2" NPT)	VK462	5.6 K	155°F	Standard Brass	n/a	V25.1E	\$136.71
13614AB/14351-10	39-3/8" (3/4" NPT)	VK464	8.0 K	155°F	Standard Brass	n/a	V25.1E	\$143.47
13614AB/14351-15	59" (3/4" NPT)	VK464	8.0 K	155°F	Standard Brass	n/a	V25.1E	\$153.90
13831AB/14350-10	39-3/8" (1/2" NPT)	VK461	2.8 K	155°F	Standard Brass	n/a	V25.1E	\$135.13
13831AB/14350-15	59" (1/2" NPT)	VK461	2.8 K	155°F	Standard Brass	n/a	V25.1E	\$145.56
14262AB/14350-10	39-3/8" (1/2" NPT)	VK465	4.2 K	155°F	Standard Brass	n/a	V25.1E	\$135.13
14262AB/14350-15	59" (1/2" NPT)	VK465	4.2 K	155°F	Standard Brass	n/a	V25.1E	\$145.56
14535AB/14351-10	39-3/8" (3/4" NPT)	VK634	8.0-EC	155°F	Standard Brass	n/a	V25.1E	\$143.15
14535AB/14351-15	59" (3/4" NPT)	VK634	8.0-EC	155°F	Standard Brass	n/a	V25.1E	\$153.58

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.

Pre-Assembled Flexible Sprinkler Connection Packages (UN-BRAIDED Model VKFD25U)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format					escutcheon codes			
07077FB/16135-10/1F	>>>	07077FB	/	16135-10	/	1F	type	finish
↑ complete part number		part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK302, 5.6 K factor, QR, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
06662BFB/16038-10/1F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$80.33
06662BFB/16038-10/2F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$80.33
06662BFB/16038-10/3F	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$83.19
06662BMB/W/16038-10/1W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$80.33
06662BMB/W/16038-10/2W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$80.33
06662BMB/W/16038-10/3W	39-3/8" (1/2" NPT)	VK302	5.6 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$83.19

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK352, 8.0 K factor, QR, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
06666BFB/16135-10/1F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$91.76
06666BFB/16135-10/2F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$92.22
06666BFB/16135-10/3F	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$85.25
06666BMB/W/16135-10/1W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$91.76
06666BMB/W/16135-10/2W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$92.22
06666BMB/W/16135-10/3W	39-3/8" (3/4" NPT)	VK352	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$85.25

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK329, 2.8 K factor, QR, Pendent


Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
06718BFB/16038-10/1F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$93.80
06718BFB/16038-10/2F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$93.80
06718BFB/16038-10/3F	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$96.66
06718BMB/W/16038-10/1W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$93.80
06718BMB/W/16038-10/2W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$93.80
06718BMB/W/16038-10/3W	39-3/8" (1/2" NPT)	VK329	2.8 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$96.66

(1) Model VKFD25U assemblies are available with additional sprinkler temperature ratings. Contact customer service for ordering information.

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.

Pre-Assembled Flexible Sprinkler Connection Packages (UN-BRAIDED Model VKFD25U)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format					escutcheon codes			
07077FB/16135-10/1F	>>>	07077FB	/	16135-10	/	1F	type	finish
↑ complete part number		part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK331, 4.2 K factor, QR, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
06720BFB/16038-10/1F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$92.67
06720BFB/16038-10/2F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$92.67
06720BFB/16038-10/3F	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$95.53
06720BMB/W/16038-10/1W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$92.67
06720BMB/W/16038-10/2W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$92.67
06720BMB/W/16038-10/3W	39-3/8" (1/2" NPT)	VK331	4.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$95.53

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK602, 8.0 K factor, Ext Coverage, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
07077FB/16135-10/1F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$86.14
07077FB/16135-10/2F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$86.59
07077FB/16135-10/3F	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$89.63
07077MB/W/16135-10/1W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$88.04
07077MB/W/16135-10/2W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$88.50
07077MB/W/16135-10/3W	39-3/8" (3/4" NPT)	VK602	8.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$91.53

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK608, 11.2 K factor, Ext Coverage, Pendent


Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
08339FB/16135-10/1F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$107.95
08339FB/16135-10/2F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$108.40
08339FB/16135-10/3F	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$111.45
08339MB/W/16135-10/1W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$107.95
08339MB/W/16135-10/2W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$108.40
08339MB/W/16135-10/3W	39-3/8" (3/4" NPT)	VK608	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$111.45

(1) Model VKFD25U assemblies are available with additional sprinkler temperature ratings. Contact customer service for ordering information.

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.

Pre-Assembled Flexible Sprinkler Connection Packages (UN-BRAIDED Model VKFD25U)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet fitting and support bracket. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per carton. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately (for assemblies with concealed sprinklers).



Part Number - Example Format					escutcheon codes			
07077FB/16135-10/1F	>>>	07077FB	/	16135-10	/	1F	type	finish
↑ complete part number		part 1 sprinkler part #		part 2 flex hose part #		part 3 escutcheon type/finish	1= E1 threaded 2= E2 push-on 3= F1 adjustable	F= chrome W= white

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK534, 11.2 K factor, Ext Coverage, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
08340FB/16135-10/1F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$107.95
08340FB/16135-10/2F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$108.40
08340FB/16135-10/3F	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$111.45
08340MB/W/16135-10/1W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$107.95
08340MB/W/16135-10/2W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$108.40
08340MB/W/16135-10/3W	39-3/8" (3/4" NPT)	VK534	11.2 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$111.45

Un-Braided (VKFD25U) Flexible Sprinkler Connection and VK572, 14.0 K factor, Ext Coverage, Pendent

Part Number	Flex Hose Type	Spk	K fctr	Temp ¹	Spk Finish	Escutcheon	IPG	List (ea)
13722FB/16135-10/1F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-1 recessed	V25.1E	\$111.35
13722FB/16135-10/2F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	E-2 threaded	V25.1E	\$111.81
13722FB/16135-10/3F	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	Polished Chrome	F-1 adjustable	V25.1E	\$114.85
13722MB/W/16135-10/1W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-1 recessed	V25.1E	\$111.35
13722MB/W/16135-10/2W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	E-2 threaded	V25.1E	\$111.81
13722MB/W/16135-10/3W	39-3/8" (3/4" NPT)	VK572	14.0 K	155°F	White-Polyester	F-1 adjustable	V25.1E	\$114.85

Un-Braided (VKFD25U) and Mirage® Concealed Pendent Sprinklers (cover plates not included)

Part Number	Flex Hose Type	Spk	K fctr	Temp	Spk Finish	Escutcheon	IPG	List (ea)
13503AB/16038-10	39-3/8" (1/2" NPT)	VK462	5.6 K	155°F	Standard Brass	n/a	V25.1E	\$95.67
13614AB/16135-10	39-3/8" (3/4" NPT)	VK464	8.0 K	155°F	Standard Brass	n/a	V25.1E	\$112.86
13831AB/16038-10	39-3/8" (1/2" NPT)	VK461	2.8 K	155°F	Standard Brass	n/a	V25.1E	\$104.51
14262AB/16038-10	39-3/8" (1/2" NPT)	VK465	4.2 K	155°F	Standard Brass	n/a	V25.1E	\$104.51
14613AB/16038-10	39-3/8" (1/2" NPT)	VK632	5.6-EC	155°F	Standard Brass	n/a	V25.1E	POA
14535AB/16135-10	39-3/8" (3/4" NPT)	VK634	8.0-EC	155°F	Standard Brass	n/a	V25.1E	\$112.54

(1) Model VKFD25U assemblies are available with additional sprinkler temperature ratings. Contact customer service for ordering information.

NOTE: Additional sprinklers available upon request. Contact customer service for price and availability.